



CRF Problem Report

The Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 10/720,623
Filing Date: 11/24/03
Date Processed by STIC: 12/17/03

STIC Contact: Mark Spencer: Telephone: 703-308-4212; Fax: 703-308-4221
Effective 12/13/03: Telephone: 571-272-2510; Fax: 571-273-0221

Nature of Problem:

- The CRF (was):
- ☒ (circle one) Damaged or Unreadable (for Unreadable, see attached)
 - ☐ Blank (no files on CRF) (see attached)
 - ☐ Empty file (filename present, but no bytes in file) (see attached)
 - ☐ Virus-infected. Virus name: _____ The STIC will not process the CRF.
 - ☐ Not saved in ASCII text
 - ☐ Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should **only** be the Sequence Listing.
 - ☐ Did not contain a Sequence Listing. (see attached sample)
 - ☐ Other: _____

**PLEASE USE THE CHECKER VERSION 4.1 PROGRAM TO REDUCE ERRORS.
SEE BELOW FOR ADDRESS:**

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/2003):
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03

10/720,603
IFW0
12/17/03

A:\>DIR

Volume in drive A has no label
Volume Serial Number is 2A6D-85B9
Directory of A:\

11472-~1	TXT	36,953	10-08-03	1:55p	11472-11_Sequence Listing.txt
	1 file(s)		36,953 bytes		
	0 dir(s)		1,420,288 bytes free		

A:\>TYPE 11472-~1.TXT

Read fault error reading drive A
Abort, Retry, Fail?F
Fail on INT 24 - 11472-~1.TXT

A:\>